

Vapour Tapes Jointing & Edge Tapes

Page 1



nbsPlus

- Super aggressive foil laminate adhesion
- Performs effectively in sub-zero temperatures
- Multi surface tape
- Water vapour tight seal
- Puncture resistant

Visqueen Vapour Tape & Vapour Edge Tape

Visqueen Vapour tapes are manufactured using a valeron/foil laminate containing a highly aggressive acrylic adhesive system.

Visqueen Vapour Tape is 75mm x 15m and used to joint/seal laps in Visqueen Vapour Control Layer Membranes.

Visqueen Vapour Edge Tape is 150mm x 15m and used to seal Visqueen Vapour Control Layer Membranes to perimeters on various surfaces such as wood and masonry.

These products are part of the following membranes system:

- Visqueen Vapour Check
- Visqueen Vapour Barrier
- Visqueen High Performance Vapour Barrier

Installation

Before use please ensure all surfaces are clean and dry.

Vapour Edge

For protecting and sealing the perimeter, Visqueen Vapour Edge Tape should be used. Where perimeter detailing involves sealing to masonry units such as brickwork, blockwork, etc ensure vapour proof continuity by sealing with Visqueen Vapour Edge Tape applied equidistant over the junction

Vapour Tape

Overlap adjoining membrane a minimum of 75mm and seal lap with Visqueen Vapour Tape by applying the tape equidistant over the lap.

To aid formation, laps should be made over a solid substrate. Failure to apply as per directions could seriously reduce performance.

For best results store in a clean and dry environment.

VISQUEEN
 BUILDING PRODUCTS



Vapour Tapes Jointing & Edge Tapes

Product Data

Product Data

Characteristic	Adhesion
Steel	36N/25mm*
Aluminium	35N/25mm*
Glass	35N/25mm*
PVC	35N/25mm*
PP	33N/25mm*
PMNA	36N/25mm
* Denotes cohesive failure according to AFERA 4001	



Vapour Tapes Jointing & Edge Tapes



Visqueen Building Products

Visqueen is the market leader in the manufacture and supply of structural waterproofing and gas protection systems. Visqueen offers the complete package - a proven, reliable range backed by a technical support service that goes unmatched in the market - everything you would expect from a reputable and ethical company.

System Accessories

To ensure full waterproofing protection please use the following certified system components:

- Visqueen High Performance (HP) Tanking Primer
- Visqueen TreadGUARD1500
- Visqueen Protect&Drain
- Visqueen Top Hat Unit

Downloads Library

- Technical Datasheet
- Declaration of Performance
- Visqueen's Guide to CE Marking

Find your local stockist

Search our directory of Visqueen specification Stocking Centres to locate your nearest Visqueen Partner.

Distributor Support

Our specification Stocking Centres can access a free library of sales support tools, bespoke catalogues and more, [click here](#).

Technical support throughout your project

We are specialists in our field and can help you specify the correct solutions with the necessary performance levels, in accordance with building regulations.

- Nationwide site support team
- Specification advice
- Installation guidance & project sign off
- System design including CAD details

