

Declaration of Performance



VBP/CPR/VCL004

Visqueen Building Products  
Heanor Gate Industrial Estate  
Heanor, Derbyshire UK  
DE75 7RG

Declares that the product(s) stated below conform to:

**Annex ZA of EN 13984: Flexible sheets for waterproofing – Vapour Control Layers**

**Products**

Visqueen Fully Bonded Vapour Barrier

**Product Type**

Type A in accordance to EN 14909

**System of assessment of verification of constancy of performance (AVCP)**

System 3

**Use**

The purpose of the vapour control layer is used to omit the risk of interstitial condensation within a structure as well as improving the airtightness of the building.

**Compliance**

Visqueen VCL products are manufactured under a Quality Management System (ISO 9001) - Certificate of Compliance reference no. 4560-3 by Knight International applies.  
British Research Establishment Ltd Bucknalls Lane, Watford WD25 9XX performed all Initial Type Testing (ITT).

**Declaration of Performance**

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire	F	EN 13984
Water tightness	Pass	
Durability against heat ageing	Pass	
Durability against chemicals	Pass	

Place

Signature

Date

Derbyshire, UK

17/05/2013

Cameron Yates  
Product Manager