

Declaration of Performance  
VBP/CPR/DPC001



Visqueen Building Products  
Heanor Gate Industrial Estate  
Heanor, Derbyshire UK  
DE75 7RG

Declares that the products stated below conform to:

**Annex ZA of EN 14909: Flexible sheets for waterproofing**

**Products**

Visqueen Gas Resistant Damp Proof Course (GR DPC)

**Product Type**

Type A in accordance to EN 14909

**System of assessment of verification of constancy of performance (AVCP)**

System 3

**Use**

The purpose of the damp proof course is to prevent water rising up a wall from the ground, water moving from one part of the wall to another and to deflect water from an inner wall of a cavity wall construction to the exterior of the building. They may also be used in masonry chimneys and parapet walls to protect the inside of the building from water moving

**Compliance**

Visqueen DPC products are manufactured under a Quality Management System (ISO 9001) - Certificate of Compliance reference no. 4560-3 by Knight International applies.

British Research Establishment Ltd Bucknalls Lane, Watford WD25 9XX performed all Initial Type Testing (ITT).

**Declared Performance**

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire	F	EN 14909
Water tightness	Pass	
Resistance to Impact	40mm	
Resistance to low temperature flexibility	-40°C	
Durability against heat ageing	Pass	
Durability against alkali	Pass	

Place

Signature

Date

Derbyshire, UK

17/05/2013

Cameron Yates  
Product Manager