

Declaration of Performance



- 1) DoP no: VBP003
- 2) Visqueen Building Products  
Heanor Gate Industrial Estate  
Heanor, Derbyshire UK  
DE75 7RG
- 3) Products  
Visqueen GX Geomembrane
- 4) Product Type  
Pre-Applied Membrane
- 5) System of assessment of verification of constancy of performance (AVCP)  
System 2+
- 6) Use  
Plastic or rubber sheet used on or under floors/ground slabs or in walls to prevent liquid water passing from the ground into the internal environment for damp proof sheet, type A and type T
- 7) Compliance  
Notified body: 1213

In case of the declaration of performance (DoP) concerning a construction product covered by the harmonized standard:

EN 13967:2012

Notified certification body SKZ – TeConA GmbH (identification no. 1213) performed the initial inspection of the manufacturing plant and of factory production control (FPC) and the continuous surveillance, assessment and evaluation of FPC and issued the certificate of conformity of the FPC no. 5773.

8) Declaration of Performance

Essential Characteristics	Performance	Test Standards	Harmonised Technical Specification
Reaction to Fire	F	EN 13501-1	EN 13967:2012
Water tightness	Pass	EN 1928	
Resistance to Impact	1500mm	EN 12691	
Resistance to static loading	20Kg	EN 12730	
Durability against heat ageing	Pass	EN 1296	
Durability against chemicals	Pass	EN 1847	

The performance of the product identified in points 3 and 4 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Place

Signature

Date

Derbyshire, UK



17/05/2013

Cameron Yates  
Product Manager